Yuri de Albuquerque Pessoa dos Santos 10, Luis Carlos Maia Cardozo Júnior 10, Pedro Vitale Mendes 10, Bruno Adler Maccagnan Pinheiro Besen 10, Marcelo Park 10

1. Intensive Care Unit, Hospital das Clínicas, Faculdade de Medicina, Universidade de São Paulo - São Paulo (SP), Brazil.

Conflicts of interest: None.

Submitted on June 7, 2023 Accepted on June 8, 2023

Corresponding author:

Marcelo Park

Unidade de Terapia Intensiva, Hospital das Clínicas Faculdade de Medicina, Universidade de São Paulo Rua Dr. Enéas Carvalho de Aguiar, 255, Sala 11083 Zip code: 05403-000 - São Paulo (SP), Brazil E-mail: marcelo.park@hc.fm.usp.br

Responsible editor: Felipe Dal-Pizzol **D0I:** 10.5935/2965-2774.20230139-en

Capillary leak syndrome during continuous renal replacement therapy after renal hilum ligation in a hypercapnic landrace pig

Literature on dialysis in pigs is scarce, and there is no description of capillary leak syndrome during dialysis in pigs. Our aim in this paper is to bring attention to the possible occurrence of this syndrome, at least in the described specific condition.

In an ongoing experimental line of research, we are investigating the impact of high bicarbonate concentrations on blood pH during continuous venous-venous hemodialysis (CVVHD) in hypercapnic pigs with severe renal failure induced by hilum ligation. (1) In this described experiment, a female 31kg Landrace pig was used as the research subject. After anesthesia, a central venous line, venous dialysis catheter (12-French, 16cm, ArrowTM, PA, USA), Swan-Ganz catheter (Edwards LifesciencesTM, Irvine, USA), and an arterial line were inserted. After a median laparotomy, a cystostomy was performed (to ascertain anuria), and the renal hilum was ligated en bloc. The pig was stabilized for one hour after the end of the surgery. Then, the tidal volume was reduced to 2/3 (Table 1), and after one hour of tidal volume reduction, CVVHD was started.

In the first experiments, CVVHD was performed using the Fresenius F8° (Fresenius Medical CareTM, MA, USA) low-flow filter without the occurrence of any adverse events or complications. (1) Due to a shortage of this filter in the Brazilian market, we changed to an Elisio-H17° filter (Nipro Medical LTDATM, Sorocaba, São Paulo, Brazil). Surprisingly, in the first experiment using the new filter, fatal refractory shock, low cardiac output, and hemoconcentration occurred soon after continuous renal replacement therapy initiation. Figure 1 shows the change in hemoglobin and cardiac output during stabilization, hypoventilation and four hours of CVVHD. Table 1 shows the temporal evolution of other hemodynamic, respiratory, and metabolic variables during the experiment. Hemoconcentration and the dramatic fall in cardiac output occurred at the same time as the subject exhibited severe tachycardia, high norepinephrine levels, and a need for normal saline. We also observed a decrease in central venous pressure and mean pulmonary artery pressure despite a terminal rise in pulmonary artery occlusion pressure. The terminal paradoxical behavior of the low mean pulmonary artery pressure and high pulmonary artery occlusion pressure could be explained by the association of hypovolemia with left ventricle dysfunction.

The hemoconcentration with the associated severe hypovolemic hemodynamic behavior in this case is very similar to the capillary leak syndrome as described by Dr. Bayard Clarkson, which may occur with extracorporeal support systems.⁽²⁻⁴⁾ Many pathophysiological pathways are linked to capillary leak syndrome, which is a condition that is associated with a high mortality.⁽²⁾ In advanced phases, severe myocardial depression can occur, similar to what occurred in our experiment.⁽⁵⁾ In later experiments, we tried additional filters,



Table 1 - Hemodynamic, respiratory and metabolic variables of the subject during the experiment

	Baseline	15 minutes	30 minutes	45 minutes	CVVHD	15 minutes	30 minutes	1 hour	2 hours	3 hours	4 hours
Hemodynamic											
Heart rate (bpm)	85	94	122	109	111	94	99	119	153	211	220
ABPm (mmHg)	90	92	116	88	89	56	69	78	61	64	47
CVP (mmHg)	8	8	6	6	7	6	5	5	4	2	3
PAOP (mmHg)	10	12	10	10	9	10	6	5	4	13	17
PAPm (mmHg)	25	27	29	29	29	23	23	23	27	26	17
Lactate (mEq/L)	1,0				0.6				0.6	0.7	2.2
Norepinephrine (mcg/kg/minute)	0	0	0	0	0	0	0	0.1	0.2	0.3	1.2
Respiratory											
Tidal volume (mL)	240	160	160	160	160	160	160	160	160	200	240
Respiratory rate (IPM)	40	40	40	40	40	40	40	40	40	40	40
PEEP (cmH ₂ O)	5	5	5	5	5	5	5	5	5	5	5
FiO ₂ (%)	21	40	40	40	40	40	40	30	30	25	25
PaO ₂ (mmHg)	71				101				75	73	83
PaCO ₂ (mmHg)	43				80				56	42	33
HCO₃ (mEq/L)	22.7				23.7				20.3	17.6	14.8
SBE (mEq/L)	-2.2				-4.8				-6.8	-8.4	-10.8
SatO ₂ (%)	93				95				94	88	93
Metabolic											
Core temperature (°C)	36.3	37.2	37.5	37.6	37.5	36.1	36.1	36.2	36.4	36.3	36.8
рН	7.34				7.09				7.17	7.23	7.26
Glicemia (mg/dL)	102				116				130	127	283
Cai ⁺² (mMol/L)	1.31				1.39				1.31	1.32	1.36
K+ (mEq/L)	5				5.2				5.8	5.6	6.4
Na+ (mEq/L)	136				137				135	137	134
CI- (mEq/L)	112				111				113	117	116
Blood flow (mL/minute)	0	0	0	0	0	205	207	209	212	211	209
Net ultrafiltration (mL)	0	0	0	0	0	11	26	53	74	87	143
Fluid intake* (mL)	0	0	0	0	0	0	250	250	500	800	1300
Fluid balance (mL)	0	0	0	0	0	-11	224	197	426	713	1157

CVVHD - continuous venous-venous hemodialysis; bpm - beats per minute; ABPm - mean systemic arterial blood pressure; CVP - central venous pressure; PAOP - pulmonary artery occlusion pressure; PAPm - mean pulmonary artery pressure; IPM - inspirations per minute; PEEP - positive end expiratory pressure; Fi02 - fraction of inspired oxygen; Pa02 - partial pressure of oxygen; PaC02 - partial pressure of carbon dioxide; HCO3 - bicarbonate. SBE - base excess; Sat02 - oxygen saturation. Standard base excess and mcg/kg/minute denotes micrograms per kg per minute. From baseline to continuous venous-venous hemodialysis initiation, tidal volume was reduced to 2/3 of the baseline. * Normal saline was used for fluid administration.

such as Diacap Acute L° (BBraunTM, São Gonçalo, Rio de Janeiro, Brazil), Poliflux° (GambroTM, São Paulo, Brazil), and Fx80° (Fresenius Kabi Brazil LTDATM, Itapecerica da Serra, São Paulo, Brazil), without any systemic reaction of the subject.

This paper demonstrates that capillary leak syndrome may occur in experiments that are conducted using extracorporeal systems. This phenomenon is something that translational researchers should be aware of to help with the appropriate choice of dialyzers in pigs.

Figure 1 - Change in hemoglobin and cardiac output during the five hours of the experiment.

The difference between baseline levels and levels after continuous venous-venous hemodialysis initiation and cardiac output was measured every 15 minutes. After continuous venous-venous hemodialysis initiation, cardiac output was measured after 15 and 30 minutes and every hour thereafter. CVVHD - continuous venous-venous hemodialysis.

ACKNOWLEDGEMENT

The experiment was funded by the Emergency discipline of the *Faculdade de Medicina da Universidade de São Paulo*.

REFERENCES

 Romano TG, Azevedo LC, Mendes PV, Costa EL, Park M. Effect of continuous dialysis on blood pH in acidemic hypercapnic animals with severe acute kidney injury: a randomized experimental study comparing high vs. low bicarbonate affluent. Intensive Care Med Exp. 2017;5(1):28.

- Gousseff M, Arnaud L, Lambert M, Hot A, Hamidou M, Duhaut P, Papo T, Soubrier M, Ruivard M, Malizia G, Tieulié N, Rivière S, Ninet J, Hatron PY, Amoura Z; Capillary Leak Syndrome Registry. The systemic capillary leak syndrome: a case series of 28 patients from a European registry. Ann Intern Med. 2011;154(7):464-71.
- Clarkson B, Thompson D, Horwith M, Luckey EH. Cyclical edema and shock due to increased capillary permeability. Am J Med. 1960;29(2):193-216.
- Hamada Y, Kawachi K, Tsunooka N, Nakamura Y, Takano S, Imagawa H. Capillary leakage in cardiac surgery with cardiopulmonary bypass. Asian Cardiovasc Thorac Ann. 2004;12(3):193-7.
- Garatti L, Wu MA, Ammirati E, Sacco A. Systemic leak capillary syndrome with myocardial involvement and cardiogenic shock: a case report. Eur Heart J Case Rep. 2022;6(7):ytac262.